Amendments to the Specification

Please replace the Abstract with the following amended Abstract:

Multiblock copolymers are described and contain the structural unit of formula I

-A-O-R¹-O-CO-(R²-CO-)_m-X-D-X-(CO-R²)_m-CO-X- (I),

where A is a radical derived from a homo- or copolyoxymethylene,

R¹ is an alkylene radical-having at least two carbon atoms, or a cycloalkylene radical.

R² is a direct carbon-carbon bond, or an alkylene, cycloalkylene, arylene, or aralkylene radical,

X is selected from -O-, -S-, or -NH-,

D is a divalent radical B which is a radical of a hydroxy-terminated, mercaptanterminated, or amino-terminated polymer which derives from polyalkylene glycols, from polyvinyl ethers, from-polyvinyl ether-alkene copolymers with alkenes, from-polyvinyl ester-alkene copolymers with alkenes, from-polyvinyl alcohols, or from-polyvinyl alcohol-alkene copolymers, from-polyvinylaromatics, from-polyacrylates, from-polymethacrylates, from-polyacetals which have no, or up to 50 mol % of, exymethylene units, from-polycarbonates, from-polyesters, from-polyamides, from-polyimines, from-polyetherester elastomers (PEEs), from-polyetheramide elastomers (PEAs), from-polyalkadienes which may, where appropriate, have been hydrogenated, from-polyurethanes, from-polyureas, or from-polysiloxanes, or is a hydroxy-terminated, mercaptan terminated, or amino-terminated triblock copolymer radical -PAO-B-PAO-, where B assumes one of the above meanings and PAO is a polyalkylene oxide radical, and

Appl. No. 10/570,643 Amdt. dated Nov. 30, 2009 Reply to Office Action of July 30, 2009

m is 0 or 1.

The multiblock copolymers may be used to produce moldings.